

### 83300

### Tool Boxes

**Type**  
Robust plastics, blue.

#### 83300 101

**Tool box**  
**Application**

May be equipped with 4 inserts (cat.-no. 80300 102-104).

#### 83300 102

**Three-way insert**  
**Application**

For tool box cat.-no. 83300 101.

#### 83300 103

**Two-way insert**  
**Application**

For tool box cat.-no. 83300 101.


#### 83300 104

**One-way insert**  
**Application**

For tool box cat.-no. 83300 101.



83300 101

83300 102



83300 103

83300 104



Type	Dimensions W x D mm	83300 ...
Tool box	420 x 250	101
Three-way insert	210 x 120	102
Two-way insert	210 x 120	103
One-way insert	210 x 120	104

### 83305

### Tool Boxes, ESD-Version



**Type**  
Robust plastics, conductive, colour black.

#### 83305 101

**Tool box**  
**Application**

May be equipped with 4 inserts (cat.-no. 83305 105).



#### 83305 105

**Three-way insert**  
**Application**

For tool box cat.-no. 83305 101.

83305 101

83305 105



Type	Dimensions W x D mm	83305 ...
Tool box	420 x 250	101
Three-way insert	210 x 120	105

### 83401 - 83405

### Storage Bins

RasterPlan  
von Kappes



#### Type

- made of polyethylene, break-proof design, dimensionally stable, and extremely durable.
- safe and ergonomic handling thanks to large, multiply reinforced recessed grips on both edges (size 2 - 4), handle (cat.-no. 83411) can be added.
- the specially shaped rail in the back allows for horizontal removing and replacing of the bins to the RasterPlan slotted panels (starting at cat.-no. 82482) even when full (size 5 - 8), therefore no spilling of the contents.
- all around stacking edge.
- temperature-resistant from -40° - +80°C.
- resistant against acids, oils and alkalines.
- easy cleaning thanks to smooth inner walls, food safe.

- rib reinforcement on the edges of the base.
- label holder with special clamping devices which prevent the labels from sliding out.
- environmentally friendly, fully recyclable.


#### Application

For the usage on conveyer belts.

#### Note:

Top and labels not included.  
Accessories for storage bins see cat.-no. 83406 cont.  
Label writers DYMO see cat.-no. 78440 cont.  
ESD version see cat.-no. 83412.

83401 - 83405



Size	length x width x height approx. mm	red		blue		grey		green		yellow	
		83401	...	83402	...	83403	...	83404	...	83405	...
8	85 x 105 x 45	101		101		101		101		101	
7	160 x 105 x 75	102		102		102		102		102	
6	230 x 140 x 130	103		103		103		103		103	
5	290 x 140 x 130	104		104		104		104		104	
4	350 x 200 x 150	105		105		105		105		105	
3	350 x 200 x 200	106		106		106		106		106	
2	500 x 300 x 200	107		107		107		107		107	

• Storage bins • Side and Picking Carts • Partition walls • Workshop trolleys

**83412 Storage Bins ESD**



**Type**  
Conductive, ESD-protected. Sizes 6 and 7 suitable for slot panels.  
**Application**  
For storing sensitive electronic parts.

**Note:**  
Accessories for storage bins see cat.-no. 83406 cont. Label writers DYMO see cat.-no. 78440 cont. Further sizes available on request.





Size	length x width x height approx. mm	83412	...
7	160 x 105 x 75	102	
6	230 x 140 x 130	103	
4	350 x 200 x 150	105	

**83406 - 83411 Accessories for Storage Bins**

**83406**  
**Lid**  
**Type**  
Transparent made of polystyrene.

**83408 204**  
**labels**  
**Type**  
Pack = 9 pcs.



**83407**  
**Longitudinal dividers**  
**Type**  
Made of thin sheet metal.

**83409**  
**Protective film**  
**Type**  
Pack = 10 pcs.



**83408**  
**labels**  
**Type**  
Pack = 10 pcs.

**83411**  
**Handle**

For size	Top 83406	longitudinal dividers 83407	labels 83408	protective film 83409	Handle 83411
8	...	...	201	101	
7	101	...	202	102	
6	102	...	203	103	
5	103	...	203	103	
4	104	101	204	104	101
3	105	102	204	104	101
2	106	103	205	105	102

**83414 Side and Picking Carts**



**Type**  
Sturdy steel construction. Shock and scratch-proof plastic coating, RAL 5012 light blue. Shelves with flanged edges Smoothly running rollers ( 2 steering wheels and 2 support rollers).

**Application**  
For applications where different parts have to be collected from different places.


**Note:**  
Also available (at additional cost) with steering wheel with stop lock.



shelves with flanged edges



Suitable storage bins size 2 see cat.-no. 83401-83405.



Dimensions H x W x D mm	number of shelves straight	number of shelves inclined	83414	...
1315 x 700 x 485	2	2	602	
1315 x 700 x 485	4	-	603	

83425

### RasterPlan partition walls with storage bins

RasterPlan  
FERTIGUNGSSTANDORT  
DEUTSCHLAND

83425 595

**CAPPE**  
Professionelle Lagerysteme

#### Type

Modular design. Shock and scratch-proof plastic coating. Frame RAL 7035 light grey. Horizontal removing and replacing of the storage bins With HHW storage bins made of shock and extremely impact-proof polyethylene, cat.-no. 83401-83405, colour coded, as stocked, colour in diagram not binding.

#### Note:

Further finishes of the slotted panels in RAL 3020, 5010, 5015, 7015, 9005 and 9010 without additional cost (not in stock).  
Suitable storage bins see cat.-no. 83401-83405.



RasterPlan partition walls are fitted for mounting on the floor with concealed screw holes.




83425 601

With	Dimensions H x W x D mm	with storage bins			83425	...
		size 6	size 7	size 8		
one-sided	760 x 1000 x 240	-	-	-	594	
one-sided	760 x 1000 x 240	12	16	24	595	
one-sided	760 x 1000 x 240	12	32	-	596	
one-sided	1100 x 1000 x 240	-	-	-	597	
one-sided	1100 x 1000 x 240	6	48	16	598	
one-sided	1100 x 1000 x 240	-	72	-	599	
one-sided	1450 x 1000 x 240	-	-	-	600	
one-sided	1450 x 1000 x 240	12	64	16	601	
one-sided	1450 x 1000 x 240	36	16	24	602	
one-sided	1790 x 1000 x 240	-	-	-	603	
one-sided	1790 x 1000 x 240	30	72	-	610	
one-sided	1790 x 1000 x 240	66	-	-	611	
two-sided	760 x 1000 x 430	-	-	-	613	
two-sided	760 x 1000 x 430	24	32	48	614	
two-sided	760 x 1000 x 430	24	64	-	615	
two-sided	1100 x 1000 x 430	-	-	-	616	
two-sided	1100 x 1000 x 430	12	96	32	617	
two-sided	1100 x 1000 x 430	-	144	-	618	
two-sided	1450 x 1000 x 430	-	-	-	619	
two-sided	1450 x 1000 x 430	24	128	32	620	
two-sided	1450 x 1000 x 430	72	32	48	621	
two-sided	1790 x 1000 x 430	-	-	-	622	
two-sided	1790 x 1000 x 430	60	144	-	623	
two-sided	1790 x 1000 x 430	132	-	-	624	


83425 598



83425 610



83425 611



83416

### RasterMobil Workshop trolleys with storage bins

RasterPlan  
FERTIGUNGSSTANDORT  
DEUTSCHLAND

83416 591

**CAPPE**  
Professionelle Lagerysteme

#### Type

Modular design. Shock and scratch-proof plastic coating. RAL 7035 light grey. Can be used from both sides. Ergonomical handles With HHW storage bins made of shock and extremely impact-proof polyethylene, cat.-no. 83401-83405, colour coded, as stocked, colour in diagram not binding.

#### Note:

Also available (at additional cost) with steering wheel with stop lock.  
Suitable storage bins see cat.-no. 83401-83405.  
Label writers DYMO see cat.-no. 78440 cont.




Horizontal removing and replacing of the storage bins



83416 601



83416 605



83416 602



83416 606



With	Dimensions H x W x D mm	with storage bins			83416	...
		size 6	size 7	size 8		
two-sided	890 x 1000 x 500	-	-	-	590	
two-sided	890 x 1000 x 500	24	64	-	591	
two-sided	890 x 1000 x 500	-	96	-	592	
two-sided	890 x 1000 x 500	60	-	-	593	
two-sided	890 x 1000 x 500	24	32	48	594	
two-sided	890 x 1000 x 500	-	80	32	595	
two-sided	1230 x 1000 x 500	-	-	-	596	
two-sided	1230 x 1000 x 500	24	80	48	602	
two-sided	1230 x 1000 x 500	48	64	-	603	
two-sided	1230 x 1000 x 500	84	-	-	601	
two-sided	1230 x 1000 x 500	12	96	32	610	
two-sided	1230 x 1000 x 500	-	144	-	611	
two-sided	1580 x 1000 x 500	-	-	-	604	
two-sided	1580 x 1000 x 500	48	112	-	606	
two-sided	1580 x 1000 x 500	-	192	-	607	
two-sided	1580 x 1000 x 500	108	-	-	605	
two-sided	1580 x 1000 x 500	24	128	32	608	
two-sided	1580 x 1000 x 500	72	32	48	609	





**Type**

Shock and scratch-proof plastic coating. Light grey RAL 7035. Galvanised shelves, load capacity 30 kg. Adjustability 15 mm grid pattern. With HHW storage bins made of shock and impact-proof polyethylene, colour coded, as stocked, colour in diagram not binding (cat.-no. 83401-83405).

**Application**

For a clear and safe storage if small and spare parts, tools and other materials.

**Note:**

Further finishes in RAL 7035/5012 and 6011 without additional cost (not in stock).

We recommend a wall mounting kit for the cabinets with dimensions H 1600 / 1950 x 285 mm.

**83506 595-616**

**Type**

With reinforced doors, opening angle more than 180°. Three-bolt security cylinder lock.

**83506 700-711**

**Type**

Without doors.

83506 595



83506 596



Security turning switch cylinder lock

83506 601



83506 614



83506 616



Storage bins




Catch bar

83506 605



83506 606



83506 607



83506 610



Dimensions H x W x D mm	number of shelves	With				with doors		without doors	
		storage bins size 4	size 5	size 6	size 7	83506	...	83506	...
780 x 690 x 285	4	-	-	-	-	595		700	
780 x 690 x 285	5	-	-	8	24	596		701	
1600 x 690 x 285	4	-	-	-	-	612		702	
1600 x 690 x 285	9	-	-	40	-	601		703	
1600 x 690 x 285	11	-	-	24	36	614		704	
1600 x 690 x 285	14	-	-	-	90	616		705	
1950 x 690 x 285	4	-	-	-	-	604		706	
1950 x 690 x 285	15	-	-	28	54	605		707	
1950 x 690 x 285	11	-	-	48	-	606		708	
1950 x 690 x 285	18	-	-	-	114	607		709	
1950 x 950 x 400	4	-	-	-	-	608		710	
1950 x 950 x 400	10	20	36	-	-	610		711	



83511

### RasterPlan slot panel cabinets

RasterPlan



**CAPPE**  
Professionelle Lagerysteme

**Type**

Shock and scratch-proof plastic coating. Housing RAL 7035 light grey. Back wall RasterPlan slot profile. Front-built doors for a smooth front, opening angle more than 200°. Continuous rodding guiding. Three-bolt security cylinder lock.

**Note:**

Suitable storage bins see cat.-no. 83401-83405.

**83511 101-104**

**Type**

With reinforced solid sheet metal doors.

**83511 301-304**

**Type**

With doors with windows




83511 101

83511 102

83511 103

83511 104



Dimensions H x W x L mm	with storage bins			Sheet metal doors		Doors with windows	
	size 5	size 6	size 7	83511	...	83511	...
1950 x 1000 x 410	-	-	-			101	301
1950 x 1000 x 410	24	30	32			102	302
1950 x 1000 x 410	36	36	-			103	303
1950 x 1000 x 410	72	-	-			104	304

83510

### Shelves with HHW Storage Bins

**Type**

Stable, high load capacity. Galvanised profiles and steel shelves. Load capacity 100 kg at equal distribution. Adjustability 25 mm grid pattern. Comprehensive shelf unit with HHW storage bins made of shock and impact-proof polyethylene, colour coded, as stocked, colour in diagram not binding (cat.-no. 83401-83405). Not assembled.

**Note:**

Lacquered shelving available on request.

83510 109

83510 101

83510 107

83510 105

83510 111



Dimensions H x W x D mm	number of shelves	with storage bins				Basic shelf		Extension block		Basic shelf and extension block	
		size 2	size 3	size 4	size 5	83510	...	83510	...	83510	...
2000 x 1000 x 300	10	-	-	-	60	109		110			
2000 x 1000 x 400	11	-	-	20	36	101		102			
2000 x 1000 x 400	10	-	-	40	-	107		108			
2000 x 1000 x 600	7	21	-	-	-	105		106			
2000 x 2000 x 400	19	-	32	20	36					111	

# • Large steel cabinets



83508 - 83509

## Large steel cabinets



**Note:**

Suitable storage bins see cat.-no. 83401-83405.

**83508 501 - 517 + 601 - 617**

**Large steel cabinets**

**Type**

These large steel cabinets, which are of very high quality are suitable to connect all basic components of the RasterPlan system. This includes perforated and slotted panels in the inner doors, multi-purpose drawers and shelves, and storage bins.

Sturdy, made of sheet steel. Shock and scratch-proof plastic coating. Front-built doors for a smooth front, opening angle more than 200°. Continuous rodding guiding. Double-walled, reinforced doors. Double-walled side walls. Telescope-guided drawers with 100% extension. Drawer load capacity 50 kg at equal distribution. Galvanised shelves, load capacity 50 kg at equal distribution. Adjustability grid pattern 10 mm. Three-bolt security cylinder lock. External dimensions: H x W x D mm 1950 x 1130 x 590. Inner dimensions: H x W x D mm 1870 x 1080 x 530. With HHW storage bins made of shock and impact-proof polyethylene, colour coded, as stocked, colour in diagram not binding (cat.-no. 83401-83405).



Roller-bearing drawers

**83508 519+619**

**Customisable large steel cabinets**

**Type**

Very high quality spacious steel cabinets. Sturdy, made of sheet steel. Shock and scratch-proof plastic coating. Front-built doors for a smooth front, opening angle more than 200°. Continuous rodding guiding. Double-walled, reinforced doors. Double-walled side walls. Adjustability grid pattern 10 mm. Three-bolt security cylinder lock.

Outer dimensions: H x W x D mm 1950 x 1130 x 590. Inner dimensions: H x W x D mm 1870 x 1080 x 530.

**83508 501-519**

**Type**

Housing RAL 7035 light grey, doors RAL 5012 light blue.

**83508 601-619**

**Type**

Housing RAL 7035 light grey, doors RAL 7035 light grey.

**83509**

**Accessories**

**Application**

For all large steel cabinets cat.-no. 83508.

83508 610



Inside of door perforated panel



Inside of door slotted panel

RAL 7035/5012

RAL 7035

Type	drawer centre	drawer bottom	shelf T 530 mm	shelf T 340 mm	shelf T 250 mm	With						RAL 7035/5012		RAL 7035	
						storage bins.	size 2	size 4	size 5	size 6	size 7	size 8	83508	...	83508
Large cabinet	3	-	2	2	2	6	-	21	7	50	32	510		610	
Large cabinet	1	-	3	-	4	9	5	-	28	40	32	517		617	
Large cabinet	-	2	1	3	5	-	20	-	21	60	32	512		612	
Large cabinet	-	3	1	2	6	-	15	-	21	70	32	503		603	
Large cabinet	-	3	1	3	4	3	10	7	14	60	32	504		604	
Large cabinet	-	3	2	2	4	6	10	-	21	50	32	505		605	
Large cabinet	-	4	1	3	3	-	15	7	14	50	32	513		613	
Large cabinet	-	-	2	-	6	9	-	-	42	40	32	514		614	
Large cabinet	-	-	-	2	9	-	5	14	28	90	32	502		602	
Large cabinet	-	-	-	3	7	-	20	-	28	70	32	501		601	
Cabinet housing empty	-	-	-	-	-	-	-	-	-	-	-	519		619	

Accessories	83509 ...
Shelf 530 mm	104
Shelf 340 mm	105
Shelf 250 mm	106
Drawer 125 mm front height	103
Drawer fittings made of thin sheet metal	101
Drawer fittings with 54 storage bins size 8	102

83509 101



83509 102





83508 617



83508 612



83508 603



83508 604



83508 605



83508 614




83508 602



83508 601



83508 619



• Storage bins • Cabinets • Shelves

**83512 - 83517 Storage Bins without Dividers**

83512 - 83513


**Type**

Temperature-resistant from -40° - +70°C. Resistant against many acids and alkalines. Exact and stable fit of the dividers thanks to lateral guide-faces and an additional fixation on the bin floor. Integrated label holder. Environmentally friendly, fully recyclable. **Dividers not included.**

83515 - 83517

Accessories for storage bins cat.-no. 83512 - 83513.

83512 - 83513



Storage bins	Size	L x W x H mm	dividers per bin, as an option	blue		red	
				83512	...	83513	...
310	300 x 120 x 65		3	101		101	
320	300 x 240 x 65		3	102		102	
410	400 x 120 x 65		4	103		103	
420	400 x 240 x 65		4	104		104	
510	500 x 120 x 65		5	105		105	
520	500 x 240 x 65		5	106		106	

		blue		red	
		83515	...	83516	...
Divider	120 x 65 mm	101		101	
Divider	240 x 65 mm	102		102	
Labels	22 x 75 mm				101

**83530 Cabinets with storage bins**



**Type**

Made of sheet steel with doors. Storage bins made of polypropylene and galvanised shelves included (grid pattern 10 mm).

**Standard finish:**

RAL 7035/5012 light grey/light blue, powder-coated.

**Note:**

Storage bins, colour coded red and blue, as shown, as stocked. Detailed description of the storage bins see cat.-no. 83512-83513.



FERTIGUNGSSTANDORT  
DEUTSCHLAND  
83530 503



RAL 7035

RAL 7035/5012

Dimensions H x W x D mm	number of shelves	With storage bins				RAL 7035		RAL 7035/5012	
		size 310	size 320	size 410	size 420	83530	...	83530	...
1950 x 1000 x 410	16	-	68	-	-	501		601	
1950 x 1000 x 410	16	136	-	-	-	503		603	
1950 x 1000 x 410	16	64	36	-	-	505		605	
1950 x 1000 x 500	16	-	-	64	36	707		807	

**83531 Shelves with Storage Bins**

**Type**

Stable, high load capacity. Galvanised profiles and steel shelves. Load capacity 100 kg at equal distribution. Adjustability 25 mm grid pattern. All parts including the storage bins made of polypropylene. Not assembled.

**Note:**

Lacquered shelving available on request.

Storage bins, colour coded red and blue, as shown, as stocked. Detailed description of the storage bins see cat.-no. 83512-83513.

83531 101



83531 103

Dimensions H x W x D mm	number of shelves	With storage bins			Basic shelf		Extension block	
		size 310	size 410	size 420	83531	...	83531	...
2000 x 1000 x 300	16	120	-	-	101		201	
2000 x 1000 x 400	16	-	-	60	102		202	
2000 x 1000 x 400	16	-	56	32	103		203	



### 83540 - 83541

### Long storage bins



83540

#### Type

The bins' dimensions are in accordance with the standard shelf dimensions. Made of impact-proof polypropylene, pigeon blue. Temperature-resistant from -40° - +70°C. Resistant against many acids and alkalines. Stackable. Environmentally friendly, fully recyclable.

#### Application

These long storage bins stand out due to their high load capacity. Thanks to the differently sized version, there are many different storage possibilities for small parts.

#### Note:

Accessories (cross dividers, longitudinal dividers, labels) for long storage bins see cat.-no. 83541.

#### 83541 101-103

#### Cross dividers

#### Type

Exact fit of the cross dividers thanks to guide-faces.

#### Application

For long storage bins cat.-no. 83540.

#### 83541 201-206

#### Longitudinal dividers

#### Type

Exact fit of the longitudinal dividers thanks to guide-faces.

#### Application

For long storage bins cat.-no. 83540 (not for width 113 mm).

#### 83541 301-303

#### labels

#### Application

For long storage bins cat.-no. 83540.

Model	width x height mm	Depth mm	83540	...
4085	113 x 85	400		101
4105	153 x 105	400		102
4145	235 x 145	400		103
5085	113 x 85	500		201
5105	153 x 105	500		202
5145	235 x 145	500		203
6085	113 x 85	600		301
6105	153 x 105	600		302
6145	235 x 145	600		303

	Width mm	Length mm	height mm	83541	...
Cross divider	113	-	85		101
Cross divider	153	-	105		102
Cross divider	235	-	145		103
Longitudinal divider	105	400	-		201
Longitudinal divider	145	400	-		202
Longitudinal divider	105	500	-		203
Longitudinal divider	145	500	-		204
Longitudinal divider	105	600	-		205
Longitudinal divider	145	600	-		206
Labels	113	-	-		301
Labels	153	-	-		302
Labels	235	-	-		303



### 83545

### Steel cabinets with long storage bins



#### Type

Made of sheet steel with doors. Long storage bins made of polypropylene (depth: 400 mm) and galvanised shelves included (grid pattern 10 mm).

#### Standard finish:

RAL 7035 light grey, powder-coated.

#### Note:

Detailed description of the long storage bins see cat.-no. 83540.

83545 101

83545 103



Dimensions H x W x D mm	number of shelves	with long storage bins			83545	...
		113 x 85 mm	153 x 105 mm	235 x 145 mm		
1950 x 1000 x 500	13	112	-	-		101
1950 x 1000 x 500	12	-	78	-		102
1950 x 1000 x 500	9	-	-	40		103
1950 x 1000 x 500	12	40	30	12		104

83547

Shelves with long storage bins



**Type**  
Stable, high load capacity. Galvanised profiles and steel shelves. Load capacity 100 kg at equal distribution. Adjustability 25 mm grid pattern. Complete shelf incl. of long storage bins (cat.-no. 83540). Not assembled.

**Note:**  
Lacquered shelving available on request.



Dimensions H x W x D mm	number of Shelves	with long storage bins			Basic shelf		Extension block	
		113 x 85 mm	153 x 105 mm	235 x 145 mm	83547	...	83547	...
2000 x 1000 x 400	16	120	-	-	101		201	
2000 x 1000 x 500	16	120	-	-	102		202	
2000 x 1000 x 600	16	120	-	-	103		203	
2000 x 1000 x 400	13	-	72	-	301		401	
2000 x 1000 x 500	13	-	72	-	302		402	
2000 x 1000 x 600	13	-	72	-	303		403	
2000 x 1000 x 400	11	-	-	40	501		601	
2000 x 1000 x 500	11	-	-	40	502		602	
2000 x 1000 x 600	11	-	-	40	503		603	
2000 x 1000 x 400	14	40	30	12	701		801	
2000 x 1000 x 500	14	40	30	12	702		802	
2000 x 1000 x 600	14	40	30	12	703		803	

83350 - 83360

Euro Transport Stacking Boxes

**83350**  
Transport Stacking Boxes

**Type**  
Extremely warp-proof. Extremely high load capacity (high crush resistance). Strong reinforcement ribs and sturdy stacking edge all around. Double-walled, rounded and reinforced corners. Temperature-resistant from -40° - +90°C. Resistant against many acids and alkalines. Food safe.

**Application**  
Made for shelf handling equipment.

**Note:**  
Accessories (lid, closing lid, body) for Euro transport stacking boxes see cat.-no. 83360.

**83360 103**

**Lid**  
**Type**  
600 x 400 mm, black.

**Application**  
For Euro transport stacking boxes cat.-no. 83350.

**83360 101**

**Closing lid**  
**Type**  
600 x 400 mm, black.

**Application**  
For Euro transport stacking boxes cat.-no. 83350.

**83360 102**


**Wheel System**  
**Type**  
600 x 400 mm. Made of impact-proof ABS, load capacity 200 kg, with 4 polyamide steering wheels.

**Application**  
For Euro transport stacking boxes cat.-no. 83350.




83350 101-108

83350 110-118



83360 103

83360 101



83360 102



Transport box	red	blue	grey						
				83350	...	83350	...	83350	...
Outer dimensions L x W x H mm	Internal dimensions L x W x H mm								
400 x 300 x 120	365 x 265 x 110	101	110	201					
400 x 300 x 180	365 x 265 x 170	106	116	206					
400 x 300 x 220	365 x 265 x 210	102	111	202					
600 x 400 x 120	565 x 365 x 110	103	112	203					
600 x 400 x 180	565 x 365 x 170	107	117	207					
600 x 400 x 220	565 x 365 x 210	104	113	204					
600 x 400 x 320	565 x 365 x 310	105	114	205					
600 x 400 x 420	565 x 365 x 410	108	118	208					

Accessories	83360	...
Lid		103
Closing lid		101
Body		102

83365

### Side and Picking Carts

**KAPPE**  
Professionelle Lagerysteme

**Type**

Sturdy steel construction. Shock and scratch-proof plastic coating, RAL 5012 light blue. Shelves with flanged edges Smooth running rollers.

**Application**

For applications where different parts have to be collected from different places.

**Note:**

Suitable Euro transport stacking boxes see cat.-no. 83350-83360.

**83365 101-104**

**Type**

With 2 horizontal and 2 inclined shelves.

**83365 201-204**

**Type**

With 4 horizontal shelves.

83365 101

83365 103

83365 104

83365 201

83365 202

83365 204



Dimensions H x W x D mm	number of shelves horizontal	number of shelves inclined	with Euro transport stacking boxes		83365 ...
			600 x 400 x 120 mm	600 x 400 x 220 mm	
1315 x 860 x 605	2	2	-	-	101
1315 x 860 x 605	2	2	6	2	102
1315 x 860 x 605	2	2	4	4	103
1315 x 860 x 605	2	2	2	6	104
1315 x 860 x 605	4	-	-	-	201
1315 x 860 x 605	4	-	6	2	202
1315 x 860 x 605	4	-	4	4	203
1315 x 860 x 605	4	-	2	6	204

83525

### RasterPlan vertical drawer cabinets (empty)

RasterPlan



**KAPPE**  
Professionelle Lagerysteme

**Type**

Shock and scratch-proof plastic coating. Front-built doors for a smooth front, opening angle more than 200°. Continuous rodding guiding. Telescope-guided drawers with 100% extension. Drawer load capacity 110 kg at equal distribution. Vertical drawers telescope-guided, 100% extension with hole panels on both sides. Load capacity 100 kg at equal distribution. Effective area 428 x 1720 mm / 12 x 46 holes. Effective depth 90 mm per side. Galvanised shelves, load capacity 80 kg at equal distribution. Adjustability 25 mm grid pattern. Security cylinder lock.

We recommend fastening the tool cabinets to the wall or the floor.

**Application**

All parts and tools are stored in a minimum of space and are within easy reach.

**Note:**

Doors with perforated panels and doors with windows available on request.

83525 600

83525 601

83525 603



Perforated panel accessories see cat.-no. 82471 and 82480.

Dimensions H x W x D mm	number of drawers	number of shelves	number of drawers	Finish housing	Finish doors	Sheet metal doors		Doors with windows	
						83525	...	83525	...
1950 x 1000 x 600	4	-	-	RAL 7035 light grey	RAL 5012 light blue	600		602	
1950 x 1000 x 600	4	-	-	RAL 7035 light grey	RAL 7035 light grey	700		702	
1950 x 1000 x 600	2	3	-	RAL 7035 light grey	RAL 5012 light blue	601		604	
1950 x 1000 x 600	2	3	-	RAL 7035 light grey	RAL 7035 light grey	703		704	
1950 x 1000 x 600	2	3	2 x H 100 mm	RAL 7035 light grey	RAL 5012 light blue	603		607	
1950 x 1000 x 600	2	3	2 x H 100 mm	RAL 7035 light grey	RAL 7035 light grey	705		706	
1950 x 1000 x 600	2	3	1 x H 175 mm	RAL 7035 light grey	RAL 5012 light blue	605		606	
1950 x 1000 x 600	2	3	1 x H 175 mm	RAL 7035 light grey	RAL 7035 light grey	707		708	



• Cabinets • Tool cabinets with retractable panels • Storage cabinet • Rotary stands

83522

RasterPlan cabinets (empty)

RasterPlan



FERTIGUNGSSTANDORT DEUTSCHLAND

83522 602



Type

Shock and scratch-proof plastic coating, housing RAL 7035 light grey, front RAL 5012 light blue. Vertical drawers telescope-guided. 100% extension, hole panels on both sides. Load capacity 100 kg at equal distribution, drawer stop. Effective area 428 x 1720 mm / 12 x 46 holes. Effective depth 50 mm per side. Security cylinder lock.

Note:

Accessories for perforated panels see cat.-no. 82471 and 82480.

Dimensions H x W x D mm	number of drawers	83522	...
2000 x 400 x 600	2	601	
2000 x 720 x 600	4	602	



83520

RasterPlan tool cabinets with retractable panels (empty)

RasterPlan



FERTIGUNGSSTANDORT DEUTSCHLAND

83520 601-610



Type

Shock and scratch-proof plastic coating, housing RAL 7035 light grey, front panels RAL 5012 light blue. Vertical drawers on special telescope rails, 100% extension. Load capacity 200 kg at equal distribution, drawer stop. Effective area 428 x 1640 mm / 12 x 44 holes. Effective depth 200 mm each side. Security cylinder lock.

Application

The particularly space-saving solution for securely and clearly storing tools, powered hand tools and small devices securely.

Dimensions H x W x D mm	drawers with Perforated panel	drawers with slotted panel	83520	...
2000 x 590 x 600	1	-	607	
2000 x 590 x 600	-	1	608	
2000 x 1100 x 600	2	-	601	
2000 x 1100 x 600	-	2	609	
2000 x 1100 x 600	1	1	610	



83010

Visible storage cabinet

TRESTON

Type

All drawers made of transparent polystyrene. Large handle for easy pulling. Corrugated floor for easily taking out smallest parts and large label for clear labeling. Made of sturdy polypropylene. Surface black grey. Transparent small-parts storage cabinet cat.-no. 83010 110-115 suitable for rotary stand cat.-no. 83020.

Note:

Dividers slot into base: Cross and longitudinal dividers. In the price included are: the completely grey plastic cabinet, the drawers and labels, the dividers are not included.

83010 101-106



83010 110-115



Height 290 mm

Type	drawers Type number of	external dimensions H x W x D mm	83010	...
290	L-00 30	290 x 300 x 160	101	
291	L-01 24	290 x 300 x 160	102	
292	L-02 12	290 x 300 x 160	103	
294	L-04 12	290 x 300 x 160	104	
296	L-06 4	290 x 300 x 160	105	
297	L-07 6	290 x 300 x 160	106	

Height 550 mm

Type	drawers Type number of	external dimensions H x W x D mm	83010	...
550-3	L-00 60	550 x 310 x 180	110	
551-3	L-01 48	550 x 310 x 180	111	
552-3	L-02 24	550 x 310 x 180	112	
554-3	L-04 24	550 x 310 x 180	113	
556-3	L-06 8	550 x 310 x 180	114	
557-3	L-07 12	550 x 310 x 180	115	

### 83012 - 83015 Spare drawers, dividers and adhesive labels

#### TRESTON

83012

Spare drawers

Type

Transparent made of polystyrene, without dividers.

Application

For visible storage cabinets or single use.

83013

Dividers, for transverse division.

83014

Dividers, for longitudinal division.


83015

Adhesive labels, pack=100 pcs.

#### Drawers

Type	external dimensions H x W x D mm	for cabinets Type	pack = pcs.	83012	...
L-00	37 x 55 x 175	290 + 550	30	301	
L-01	37 x 69 x 175	291 + 551	24	302	
L-02	37 x 138 x 175	292 + 552	12	303	
L-04	59 x 92 x 175	294 + 554	12	304	
L-06	59 x 277 x 175	296 + 556	4	305	
L-07	81 x 138 x 175	297 + 557	6	306	


83012




#### Dividers

Type	For drawers Type	pack = pcs.	transverse		longitudinal	
			83013	...	83014	...
V-00	L-00	10	101			
V-01	L-01	10	102			
V-02	L-02	10	103			
V-04	L-04	10	104			
V-06	L-06	10	105			
V-07	L-07	10	106			
V-012	L-01 + L-02	10			101	
V-0456	L-04 + L-06	10			102	
V-078	L-07	10			103	

83013



83014



#### Adhesive labels

For drawers Type	83015	...
L-00	101	
L-01 + L-02	102	
L-04 + L-06	103	
L-07	104	

83015



### 83020 Rotary stands (without cabinets)

#### TRESTON

Type

Ball-bearing mounted live ring, 3 plastic floors and covers for 3 shelves. Holds 12 visible storage cabinets in height 550 mm according to your choice.

The drawer cabinets cat.-no. 83010 110-115 must be ordered separately.

Application

This practical rotary stand is the best solution if your storage cabinet needs to be near the workplace and not next to a wall. Surface black grey.

83020 + 83010 110-115

Type	Dimensions mm with 12 cabinets/ height 550 mm	load capacity kg	83020	...
12-550	500 x 500 x 1730	400	101	



## Workshop furnishings

Everything from one source.  
We customize your workshop  
using CAD technology.

Need some advice?

Contact us: [betriebseinrichtung@hhw.de](mailto:betriebseinrichtung@hhw.de)

Hommel/ Hercules  
Werkzeughandel



• Drawer Cabinets • Rotary stands • Storage bins

**83110 - 83111** **Drawer Cabinets**

**TRESTON**

**Type**

Made of sturdy polypropylene, drawers with labels.  
All drawers with corrugated base. Material: polypropylene (transparent: polystyrene). Resistant against oil as well as light acids and alkalines.

**Finish:**

RAL 7021 black grey, powder-coated.

**Application**

The cabinets can be stacked or mounted to a wall.  
With the drawer cabinets you have a space-saving, practical and flexible stock for small items.

83110 - 83111



Dimensions mm	H x W x D	395 x 400 x 300 mm			
cabinet	drawers	drawers	drawers	83110	...
Type	Type	number of	colour		
0830	3020	8	transparent	101	
0830	3020	8	red	102	
0830	3020	8	blue	103	
0830	3020	8	grey	104	
1630	3010	16	transparent	105	
1630	3010	16	red	106	
1630	3010	16	blue	107	
1630	3010	16	grey	108	

Dimensions mm	H x W x D	395 x 400 x 400 mm			
cabinet	drawers	drawers	drawers	83111	...
Type	Type	number of	colour		
0840	4020	8	transparent	101	
0840	4020	8	red	102	
0840	4020	8	blue	103	
0840	4020	8	grey	104	
1640	4010	16	transparent	105	
1640	4010	16	red	106	
1640	4010	16	blue	107	
1640	4010	16	grey	108	
0440	4040	4	transparent	109	
0440	4040	4	red	110	
0440	4040	4	blue	111	

83111 109-111



**83140** **Rotary stands (without cabinets)**

**TRESTON**

**Type**

With ball bearing live ring (easy turning even under loaded condition). Rotary stand type 16-300 and type 16-400 are suitable to store large items. Each stand can be **equipped with 16 drawer cabinets** according to your selection:

**Type 16-300** can be equipped with the drawer cabinets 0830 and 1630 (cat.-no. 83110).

**Type 16-400** can be equipped with the drawer cabinets 0440, 0840, and 1640 (cat.-no. 83111).

Please also order.

These rotary stands have a load capacity of up to 800 kg. Complete rotary stand accessories consists of: live ring and storage shelves for 4 levels.

**Finish:**

RAL 7005 mouse grey, powder-coated.

**Application**

Most possible space usage: Free standing position. This enables you to make use of any surface. Clear and compact stocking with quick access. Maximum 1792 different elements can be stored on less than 1m<sup>2</sup> storage area.

83140 101 + 83110



Type	external dimensions	load capacity	83140	...
	H x W x D mm	kg		
16-300	1680 x 700 x 700	800	101	
16-400	1680 x 800 x 800	800	102	



### 83150

### Storage Bins

#### TRESTON

##### Type

Corrugated shelf (for easier take-out of small items).  
Material: polypropylene (transparent: polystyrene).  
Resistant against oil as well as light acids and alkalines.



83150

Type/colour	external dimensions H x W x D mm	83150	...
1015 / transp.	75 x 105 x 165	101	
1015 / red	75 x 105 x 165	102	
1015 / blue	75 x 105 x 165	103	
1015 / grey	75 x 105 x 165	104	
1520 / transp.	105 x 149 x 192	105	
1520 / red	105 x 149 x 192	106	
1520 / blue	105 x 149 x 192	107	
1520 / grey	105 x 149 x 192	108	

Type/colour	external dimensions H x W x D mm	83150	...
1525 / transp.	130 x 149 x 250	109	
1525 / red	130 x 149 x 250	110	
1525 / blue	130 x 149 x 250	111	
1525 / grey	130 x 149 x 250	112	
1930 / transp.	156 x 186 x 300	113	
1930 / red	156 x 186 x 300	114	
1930 / blue	156 x 186 x 300	115	
1930 / grey	156 x 186 x 300	116	

Type/colour	external dimensions H x W x D mm	83150	...
1940 / transp.	156 x 186 x 400	117	
1940 / red	156 x 186 x 400	118	
1940 / blue	156 x 186 x 400	119	
1940 / grey	156 x 186 x 400	120	
1950 / transp.	182 x 186 x 500	121	
1950 / red	182 x 186 x 500	122	
1950 / blue	182 x 186 x 500	123	
1950 / grey	182 x 186 x 500	124	

### 83151

### Labels with Transparent Strips

#### TRESTON

Type	For storage bins Type	Pack = pcs.	83151	...
E-10	1015	10	101	
E-15	1520 / 1525	10	102	
E-20	1930 / 1940 / 1950	10	103	

### 83340

### Sheet Steel Storage Bins

##### Type

Stackable, made of sheet steel, galvanised.  
Reinforced upper stacking edge. Easy placing and removal of items thanks to the inclined face. With label frame.

##### Note:

Sheet steel storage bins with RAL finish available on request.  
Label writers DYMO see cat.-no. 78450 cont.

##### 83340 099-100

##### Type

With recessed grips.

##### 83340 101-104

##### Type

With drop handle made of round iron (Ø 8 mm) on the rear.

##### 83340 105-107


##### Type

With drop handle made of round iron (Ø 10 mm) on the rear.



83340

Type	A	a	B	C	D	E	F	Weight	Contents	carrying bar	83340	...
	mm	mm	mm	mm	mm	mm	mm	approx. kg	litre			
LST/7	160	140	95	75	170	105	32	0,50	0,7	-	099	
LST/6	230	200	140	130	236	148	65	1,00	3,5	-	100	
LST/5-S	350	300	200	145	355	215	72	1,75	8,5	possible	101	
LST/5	350	300	200	200	360	215	95	2,50	11,0	x	102	
LST/4-S	500	450	300	145	505	315	72	3,00	18,0	x	103	
LST/4	500	450	300	200	510	315	95	4,00	18,0	x	104	
LST/3	520	450	300	300	530	315	175	6,00	41,0	x	105	
LST/2	520	450	450	300	530	465	175	8,00	60,0	x	106	
LST/1	700	630	450	300	710	465	175	10,00	83,0	x	107	



## ► Stackable bins type ST

Made of sheet steel, powder-coated or galvanised, and made of stainless steel.

Stackable bins made of sheet steel are very sturdy and especially suitable for usage in the metal-working industry. The very high load capacity of up to 3.000 kg proves the point. The upper edge is folded, reinforced with an all-around bead and makes the bins stackable. A drop handle is located on the face.

Basic version: RAL 3000 (flame red), RAL 5015 (sky blue), RAL 6011 (green), RAL 7031 (blue-grey), hot-galvanised.

Special lacquers and/or embossments available on request.

Bins are stackable with each other dependent on the storage bin size.





**83945**

**Plastic storage inserts for CNC tool holders**



**Type**

The inserts are characterised by accurate inside reinforced construction. Therefore, the taper of the tool holder is optimally centred. The insert is fixed with a spring lock into the tool holder support (cat.-

no. 83950 - 83951), easy positioning. Oil-resistant, made of impact and break-proof ABS, black.

**83945 501**

**Universal Insert**

**Application**

For special sizes. For self-drilling.

	number of Inserts	83945	...
ST 30	1	101	
ST 40	1	102	
ST 50	1	103	
DIN 69880 str. Ø 30 mm	1	201	
DIN 69880 str. Ø 40 mm	1	202	
DIN 69880 str. Ø 50 mm	1	203	
HSK A 32/B 40	3	402	
HSK A 40/B 50	2	403	
HSK A 50/B 63	1	404	
HSK A 63/B 80	1	405	
HSK A 80/B 100	1	406	
HSK A 100/B 125	1	407	
Multi-purpose	-	501	
Capto C 4	1	601	
Capto C 5	1	602	
Capto C 6	1	603	



**83950**

**CNC tool holder support (empty)**



**Type**


Made of powder-coated sheet steel.

**Plastic inserts** not included (cat.-no. 83945).

**Standard finish:** RAL 7035 light grey.

Max. storage of inserts			
▶ SK 30	SK 40	SK 50	
▶ cyl. 30 Ø/VDI 30	cyl. 40 Ø/VDI 40	cyl. 50 Ø/VDI 50	
▶		HSK A 32/B 40 (3 Inserts)	
▶	HSK A 50/B 63	HSK A 40/B 50 (2 Inserts)	
▶	HSK A 63/B 80	HSK A 80/B 100	
▶		HSK A 100/B 125	
▶		Universal Insert	

Cat.-No.	pcs.	pcs.	pcs.
▶ 83950 601	11	7	5
▶ 83951 601	16	10	8
▶ 83951 605	32	20	16
▶ 83957 601/602	48	33	24
▶ 83960 601	117	72	54
▶ 83963 601	170	110	90
▶ 83966 301/302	48	33	24
▶ 83975 601	17	11	8
▶ 83952 601	55	35	25
▶ 83973 601	85	55	40



Dimensions	83950	...
H x W x D mm		
132 x 570 x 111		601

**83951**

**Table stands for CNC tool holders (empty)**



**Type**

Made of powder-coated sheet steel.

**Plastic inserts** not included (cat.-no. 83945).

**Standard finish:** RAL 7035 light grey.

**Application**

With practical tool rest for every CNC machine tool. Fixing holes on rear side panel for wall mounting.

**Note:**

Max. storage of inserts see table cat.-no. 83950.

Dimensions	shelves	83951	...
H x W x D mm			
310 x 423 x 372	2		601
537 x 423 x 372	4		605



83953

### Workshop trolley for CNC tool holders (empty)



**Type**

Made of welded square sectional steel, with push handle. 2 steering wheels and 2 support rollers, 125 mm Ø up to 1000 kg load capacity. May be equipped with a maximum of 8 tool holder supports (cat.-no. 83950). Depth including tool rest tray 150 mm, 600 mm wide and 25 mm high.

**Standard finish:** RAL 7035 light grey.

**Application**

For tool holder supports cat.-no. 83950 and CNC plastic inserts cat.-no. 83945.

**Scope of supply:**

Without tool holder supports and plastic inserts.

83953 + 83950 + 83945



<b>Dimensions</b>	83953	...
<b>H x W x D mm</b>		
860 x 630 x 900		601

83954

### Workshop trolley for CNC tool holders (empty)



**Type**

Welded construction design. With angled hinges for tool holder. Push handle on trolley face. 2 support rollers and 2 steering wheels, 125 mm Ø up to 1000 kg load capacity. Tool rest tray for assembly tools and small parts, at each side, 3 tool holder supports (cat.-no. 83950) can be fitted.

**Standard finish:** RAL 7035 light grey.

**Application**

For tool holder supports cat.-no. 83950 and CNC plastic inserts cat.-no. 83945.

**Scope of supply:**

Without tool holder supports and plastic inserts.

83954



<b>Dimensions</b>	83954	...
<b>H x W x D mm</b>		
950 x 560 x 630		601

83955

### Tool Cabinet for CNC Tools (Empty)



**Type**

Tool cabinet series 70, with plastic-coated cabinet top. **4 ball-bearing mounted drawers, 100% extension.**

Front height: 75 and 125 mm V80, load capacity 80 kg.

Front height: 300 and 400 mm V 200, load capacity 200 kg.

**Standard finish:** Housing RAL 7035 light grey.

Drawers RAL 5012 light blue.

**Application**

The drawers with a front height of 300 and 400 mm can each hold 5 tool holder supports cat.-no. 83950.

**Scope of supply:**

Without tool holder supports and plastic inserts.

**83955 605**

**Compartment rails (pair)**

**Application**

For fixing the tool holder supports inside the drawers.

83955 + 83950 + 83945



83955 605

	RAL 7035/5012	
<b>Dimensions</b>	83955	...
<b>H x W x D mm</b>		
1019 x 705 x 736		501
<b>Compartment rails (pair)</b>		605



83952

### Tool frames for CNC tool holders (empty)



**Type**

Made of powder-coated sheet steel.

**Plastic inserts not included** (cat.-no. 83945).

**Standard finish:** RAL 7035 light grey.

**Note:**

Suitable or cabinet with drawers cat.-no. 83955, drawer height 300/400 mm.

83952



<b>Dimensions</b>	83952	...
<b>H x W x D mm</b>		
600 x 600 x 135		601



## • CNC storage system

83956

### Tall cabinet for CNC tool holders (empty)



#### Type

Made of stable welded sheet steel. With lockable plastic roll front. The roll front with cylinder lock stays hidden during work and secures valuable tools after work. It also protects the tools from dust. Upper opening direction of shutter.

Depending on the tool height, as many tool frames can be installed horizontally or tilted as needed.

**Standard finish:** RAL 7035 light grey.

#### Note:

Tool frames cat.-no. 83957 must be ordered separately. Shelf see cat.-no. 85136.

83956



Fitting example

<b>Dimensions</b>	83956	...
H x W x D mm		
1950 x 1000 x 500	601	

83957

### Tool frames for CNC tool holders (empty)



#### Type

**Plastic inserts not included** (cat.-no. 83945).

**Standard finish:** RAL 7035 light grey.


#### Application

Only for tall CNC-cabinets cat.-no. 83956.

#### Note:

Max. storage of inserts see table cat.-no. 83950.

83957 + 83945



<b>Type</b>	83957	...
horizontal	601	
inclined	602	

83965

### CNC Cabinet (Empty)



#### Type

Housing made of sheet steel, welded, with cylinder lock and two keys. Accessories not included.

**Standard finish:** housing RAL 7035, doors RAL 5012, powder-coated.

#### Note:

Built-in elements see cat.-no. 83966, CNC plastic inserts see cat.-no. 83945.

83965



<b>Dimensions</b>	<b>Useable height</b>	83965	...
H x W x D mm	mm		
1838 x 980 x 500	1719	601	

83966

### Built-in elements for cat.-no. 83965



83966 101-103

#### Drawers

##### Type

Width x depth 900 x 400 mm, 100 % extension, load capacity 50 kg.

**Finish:** RAL 7035 light grey, RAL 5012 light blue (Front).

83966 301-302

Tool frames for CNC tool holders

**Finish:** RAL 5012 light blue.

#### Note:

Max. storage of inserts see table cat.-no. 83950.

83966 101




83966 102



83966 103



83966 301



83966 302



Drawers				83966	...
Front height	Unit height	Useable height			
mm	mm	mm			
100	85	90		101	
150	135	140		102	
200	185	190		103	

Tool frames					83966	...
Width x depth	Retractable	Not retractable	Load capacity			
mm	100%	inclined, fixed	kg			
900 x 443	x	-	50		301	
925 x 443	-	x	80		302	



**83970**

**On-top cabinet for CNC tool holders (empty)**



**Type**

Housing made of stable welded sheet steel. With lockable **plastic roll front**. Depending on the tool height, 2-3 tool frames can be installed horizontally or tilted.

**Standard finish:** RAL 7035 light grey.

**Note:**

Tool frames cat.-no. 83957 and CNC plastic inserts cat.-no. 83945 must be ordered separately.

83970 + 83972 501



<b>Dimensions</b>	<b>83970</b>	<b>...</b>
<b>H x W x D mm</b>		
1000 x 1000 x 500		601

**83972**

**Tool Cabinet for CNC Tools (Empty)**



**Type**

**Tool holder supports and CNC storage inserts not included.**

5 ball-bearing mounted drawers.

**Front height:**

50 / 50 / 100 / 100 mm V 80, load capacity 80 kg.

**Front height:**

400 mm V 200, load capacity 200 kg. The high drawers can accommodate 5 tool holder supports cat.-no. 83975.

**Standard finish:** Housing RAL 7035 light grey. drawers RAL 5012 light blue.

83972 602

**Compartment rails (pair)**

**Type**

For fixing the tool holder supports inside the drawers.

83972 602



RAL 7035/5012

<b>Dimensions</b>	<b>83972</b>	<b>...</b>
<b>H x W x D mm</b>		
819 x 1005 x 736		501
<b>Compartment rails (pair)</b>		602

**83973**

**Tool frames for CNC tool holders (empty)**




**Type**

Made of powder-coated sheet steel. Suitable for cabinet with drawers cat.-no. 83972.

**Plastic inserts not included** (cat.-no. 83945).

**Standard finish:** RAL 7035 light grey.

83973



<b>Dimensions</b>	<b>83973</b>	<b>...</b>
<b>H x W x D mm</b>		
900 x 600 x 135		601

**83975**

**CNC tool holder support (empty)**



**Type**

Made of powder-coated sheet steel.

**Plastic inserts not included** (cat.-no. 83945).

**Standard finish:** RAL 7035 light grey.

**Application**

For cabinet with drawers cat.-no. 83972.

The drawer with front height 400 mm can accommodate 5 tool holder supports.

**Note:**

Max. storage of inserts see table cat.-no. 83950.

83975 + 83945



<b>Dimensions</b>	<b>83975</b>	<b>...</b>
<b>H x W x D mm</b>		
132 x 870 x 111		601



## ▶ Vertical is optimal

The vertical drawers of the Apfel tool cabinets WKS enable you to store your tools safe and clearly arranged and still saving space.

**hww**-Apfel tool cabinets - practical, robust and safe

Perfect solutions, made by professionals for professionals, can optimise the processes in your production as well. Create functionality and order even with limited space in order to facilitate your daily work.

**Robust design made of powder-coated steel for a long service life.**

**Lockable drawers with lettering area.**

**Maximum order at minimum space - the multi-purpose tool cabinet WKS made by Apfel. One square meter gives you enough room to store hundreds of tools (e.g. 480 milling tools SK40 at WKS 002).**

**Direct access to the tools from both sides for improved occupational safety, because you do not have to reach across the tools**

**Customisable with different holding fixtures and mounts for a perfect usage of space in your production**

**WKS 003**

**Lifting bags for pallet trucks or forklifts for a quick change of location when empty**

**WKS 002**

**European patent!**

**Maximum load capacity 4.500 kg, per drawer up to 900 kg (depending on the wheels up to 1.800 kg) wheel load capacity thanks to extremely sturdy plastic wheels**

**hww** **GS**

Please choose from our extensive range of sets or customise your tool cabinet with the applicable tool holders depending on your requirements.



Direct access to the tools from both sides.



Storage area for small parts in each drawer



Highest load capacity thanks to wheels



Lifting bags for easy change of location



83980

### Tool cabinets with vertical drawer (tool holders not included)

#### Type

- Robust design made of powder-coated steel for a long service life.
- Direct access to the tools from both sides for improved occupational safety, because you do not have to reach across the tools
- Customisable with different holding fixtures and mounts for a perfect usage of space in your production
- Maximum load capacity 4.500 kg, per drawer up to

- 900 kg (depending on the wheels up to 1.800 kg) wheel load capacity thanks to extremely sturdy plastic wheels
- Lifting bags for pallet trucks or forklifts for a quick change of location when empty
- Lockable drawers with lettering area.
- Storage area for small parts in each drawer
- Housing RAL 7035 light grey, drawers RAL 5012 light blue, structure powder-coated.
- Special lacquers available at additional price.

#### Note:

Suitable tool holders and accessories see cat. no. 83983-83988.



Model	Dimensions H x W x D mm	Effective depth mm	number of Vertical drawers	load capacity kg	83980 ...
WKS 013	1240 x 660 x 1050	910	3 x 180 mm	3 x 900	100
WKS 001	1240 x 1040 x 1050	910	5 x 180 mm	5 x 900	101
WKS 003	1240 x 1040 x 1300	1130	5 x 180 mm	5 x 900	102
WKS 033	1240 x 660 x 1300	1110	3 x 180 mm	3 x 900	109 <b>NEW</b>
WKS 002	2140 x 1040 x 1050	910	5 x 180 mm	5 x 900	105
WKS 006	2140 x 1040 x 1300	1130	5 x 180 mm	5 x 900	103
WKS 023	2140 x 660 x 1050	910	3 x 180 mm	3 x 900	110 <b>NEW</b>
WKS 063	2140 x 660 x 1300	1110	3 x 180 mm	3 x 900	111 <b>NEW</b>
WKS 008	1240 x 1040 x 1050	910	3 x 300 mm	3 x 1800	104
WKS 009	1240 x 1040 x 1300	1130	3 x 300 mm	3 x 1800	106
WKS 004	2140 x 1040 x 1050	910	3 x 300 mm	3 x 1800	107
WKS 005	2140 x 1040 x 1300	1130	3 x 300 mm	3 x 1800	108
WKS 024	2140 x 1040 x 1050	910	3 x 180 mm / 1 x 300 mm	3 x 900 / 1 x 1800	112 <b>NEW</b>
WKS 064	2140 x 1040 x 1300	1110	3 x 180 mm / 1 x 300 mm	3 x 900 / 1 x 1800	113 <b>NEW</b>

## • CNC storage system

83982

### Tool cabinet assortments (without tools)

#### Type

- Robust design made of powder-coated steel for a long service life.
- Direct access to the tools from both sides for improved occupational safety, because you do not have to reach across the tools
- Customisable with different holding fixtures and

- mounts for a perfect usage of space in your production
- Maximum load capacity 4.500 kg, per drawer up to 900 kg (depending on the wheels up to 1.800 kg) wheel load capacity thanks to extremely sturdy plastic wheels
- Lifting bags for pallet trucks or forklifts for a quick

- change of location when empty
- Lockable drawers with lettering area.
- Storage area for small parts in each drawer
- Housing RAL 7035 light grey, drawers RAL 5012 light blue, structure powder-coated.
- Special lacquers available at additional price.
- Further assortments available on request.

83982 200-207



83982 208-213



HHW cat.-no.	model	incl. of	max. with
▶ 83982 200	WKS 013-HHW set	9 tool holders WKH 403/ST40	144 x ST40
▶ 83982201	WKS 001-HHW set	15 tool holders WKH 403/ST40	240 x ST40
▶ 83982202	WKS 003-HHW set	15 tool holders WKH 403/ST40	300 x ST40
▶ 83982211	WKS 033-HHW set	9 tool holders WKH 406/ST40	180 x ST40
▶ 83982203	WKS 002-HHW set	30 tool holders WKH 403/ST40	480 x ST40
▶ 83982204	WKS 002-HHW set	30 tool holders WKH 403/VDI40	480 x VDI40
▶ 83982205	WKS 002-HHW set	30 tool holders WKH 403/HSK63	480 x HSK63
▶ 83982206	WKS 002-HHW set	30 tool holders WKH 403/Capto C6	480 x Capto C6
▶ 83982207	WKS 006-HHW set	30 tool holders WKH 403/ST40	600 x ST40
▶ 83982212	WKS 023-HHW set	18 tool holders WKH 403/ST40	288 x ST40
▶ 83982213	WKS 063-HHW set	18 tool holders WKH 406/ST40	360 x ST40
▶ 83982208	WKS 009-HHW set	9 tool compartments WKH 902-H49	-
▶ 83982209	WKS 004-HHW set	18 tool compartments WKH 901-H49	-
▶ 83982210	WKS 005-HHW set	18 tool compartments WKH 902-H49	-
▶ 83982 214	WKS 024-HHW set	18 tool holders WKH 403/ST40 and 6 tool holders WKH 918/ST40	288 x ST40
▶ 83982 215	WKS 064-HHW set	18 tool holders WKH 406/ST40 and 6 tool holders WKH 919/ST40	444 x ST40

Model	Dimensions H x W x D mm	Effective depth mm	number of Vertical drawers	load capacity kg	83982 ...
WKS 013-HHW set	1240 x 660 x 1050	910	3 x 180 mm	3 x 900	200
WKS 001-HHW set	1240 x 1040 x 1050	910	5 x 180 mm	5 x 900	201
WKS 003-HHW set	1240 x 1040 x 1300	1130	5 x 180 mm	5 x 900	202
WKS 033-HHW set	1240 x 660 x 1300	1110	3 x 180 mm	3 x 900	211 <b>NEW</b>
WKS 002-HHW set	2140 x 1040 x 1050	910	5 x 180 mm	5 x 900	203
WKS 002-HHW set	2140 x 1040 x 1050	910	5 x 180 mm	5 x 900	204
WKS 002-HHW set	2140 x 1040 x 1050	910	5 x 180 mm	5 x 900	205
WKS 002-HHW set	2140 x 1040 x 1050	910	5 x 180 mm	5 x 900	206
WKS 006-HHW set	2140 x 1040 x 1300	1130	5 x 180 mm	5 x 900	207
WKS 023-HHW set	2140 x 660 x 1050	910	3 x 180 mm	3 x 900	212 <b>NEW</b>
WKS 063-HHW set	2140 x 660 x 1300	1110	3 x 180 mm	3 x 900	213 <b>NEW</b>
WKS 009-HHW set	1240 x 1040 x 1300	1130	3 x 300 mm	3 x 1800	208
WKS 004-HHW set	2140 x 1040 x 1050	910	3 x 300 mm	3 x 1800	209
WKS 005-HHW set	2140 x 1040 x 1300	1130	3 x 300 mm	3 x 1800	210
WKS 024-HHW set	2140 x 1040 x 1050	910	3 x 180 mm / 1 x 300 mm	3 x 900 / 1 x 1800	214 <b>NEW</b>
WKS 064-HHW set	2140 x 1040 x 1300	1110	3 x 180 mm / 1 x 300 mm	3 x 900 / 1 x 1800	215 <b>NEW</b>

83983

### Tool holders and accessories for tool cabinets with vertical drawer

**Type**

Usable length 910 mm, for drawer 180 mm.


**Application**

For tool cabinets with vertical drawers cat.-no. 83980-83982.

83983 101-120

83983 201-206

83983 303




83983 303+305+306

83983 304+308+305

83983 303+310

83983 314

83983 315-316



Model	Application	Usage	suitable for Modell WKS	83983 ...
WKH 403-HSK40	-	16 pcs.	001/002/013/023/024	103
WKH 403-HSK50	-	16 pcs.	001/002/013/023/024	111 <b>NEW</b>
WKH 403-HSK63	-	16 pcs.	001/002/013/023/024	104
WKH 403-HSK63-F	-	16 pcs.	001/002/013/023/024	112 <b>NEW</b>
WKH 403-SK30	-	16 pcs.	001/002/013/023/024	101
WKH 403-SK40	-	16 pcs.	001/002/013/023/024	102
WKH 403-Capto C3	-	16 pcs.	001/002/013/023/024	113 <b>NEW</b>
WKH 403-Capto C4	-	16 pcs.	001/002/013/023/024	114 <b>NEW</b>
WKH 403-Capto C5	-	16 pcs.	001/002/013/023/024	109
WKH 403-Capto C6	-	16 pcs.	001/002/013/023/024	110
WKH 403-VDI20	-	16 pcs.	001/002/013/023/024	105
WKH 403-VDI25	-	16 pcs.	001/002/013/023/024	115 <b>NEW</b>
WKH 403-VDI30	-	16 pcs.	001/002/013/023/024	106
WKH 403-VDI40	-	16 pcs.	001/002/013/023/024	107
WKH 403-VDI50	-	16 pcs.	001/002/013/023/024	116 <b>NEW</b>
WKH 403-ABS50	-	16 pcs.	001/002/013/023/024	117 <b>NEW</b>
WKH 403-ABS63	-	16 pcs.	001/002/013/023/024	118 <b>NEW</b>
WKH 403-ABS80	-	16 pcs.	001/002/013/023/024	119 <b>NEW</b>
WKH 403-UTS63	-	16 pcs.	001/002/013/023/024	120 <b>NEW</b>
WKH 403-173-E	-	16 pcs.	001/002/013/023/024	108
WKH 404-SK50	-	7 pcs.	001/002/013/023/024	201
WKH 404-HSK63	-	7 pcs.	001/002/013/023/024	202
WKH 404-HSK100	-	7 pcs.	001/002/013/023/024	203
WKH 404-VDI50	-	7 pcs.	001/002/013/023/024	204
WKH 404-VDI60	-	7 pcs.	001/002/013/023/024	205
WKH 404-Capto C8	-	7 pcs.	001/002/013/023/024	206
WKH 441-MK1/MK2	set of drills MK1/MK2	30 MK1/30 MK2	001/002/013	301
WKH 443-MK2/MK3	set of drills MK2/MK3	30 MK2/30 MK3	001/002/013	302
WKH 445-MK3/MK4	set of drills MK3/MK4	30 MK3/30 MK4	001/002/013	317
WKH 502-H30	tool compartment for compartment dividers	30 mm height slots/holes	001/002/013/023/024	303
WKH 506-H49	tool compartment for compartment dividers	49 mm height slots/holes	001/002/013/023/024	304
ELP 5021-WKH	insertion plate for WKH 502/506	for compartment slots/holes	001/002/013	305
ELP 5022-BZI42	insertion plate for WKH 502/506	collet Hainbuch 18 pcs	001/002/013	306
TRB 502-WKH	divider for WKH 502/504	width 180 mm height 30 mm	001/002/003/006/013	307
TRB 505-WKH	divider for WKH 505/506	width 180 mm height 45 mm	001/002/003/006/013	308
ELS 651-ER16	inlay set collet	collet 426E	001/002/013	309
ELS 652-ER20	inlay set collet	collet 428E	001/002/013	310
ELS 653-ER25	inlay set collet	collet 430E	001/002/013	311
ELS 654-ER32	inlay set collet	collet 470E	001/002/013	312
ELS 655-ER40	inlay set collet	collet 472E	001/002/013	313
WKH 701-GR7	shelf for storage bins	8 pcs. size 7*	001/002/013	314
WKH 810-H912	tool perforated panel 10/10	height approx. 912 mm infinitely adjustable	001/002/013	315
WKH 820-H1795	tool perforated panel 10/10	height approx. 1795 mm infinitely adjustable	002/004	316

\* see cat.-no. 83401 102 - 83405 102.



# CNC storage system

83984

## Tool holders and accessories for tool cabinets with vertical drawers

**Type**


Usable length 1100 mm, for drawer 180 mm.

**Application**

For tool cabinets with vertical drawers cat.-no. 83980-83982.

83984 401-405+412+415-428

83984 406



Model	Application	Usage	suitable for Model WKS	83984	...	83983	...
WKH 405-HSK40	-	9 pcs.	003/006/033/063/064	429	NEW		
WKH 405-HSK50	-	9 pcs.	003/006/033/063/064	430	NEW		
WKH 405-HSK63	-	9 pcs.	003/006/033/063/064	431	NEW		
WKH 405-HSK63-F	-	9 pcs.	003/006/033/063/064	432	NEW		
WKH 405-HSK80	-	9 pcs.	003/006/033/063/064	433	NEW		
WKH 405-HSK100	-	9 pcs.	003/006/033/063/064	409			
WKH 405-ST30	-	9 pcs.	003/006/033/063/064	434	NEW		
WKH 405-ST40	-	9 pcs.	003/006/033/063/064	435	NEW		
WKH 405-ST50	-	9 pcs.	003/006/033/063/064	408			
WKH 405-Capto C3	-	9 pcs.	003/006/033/063/064	436	NEW		
WKH 405-Capto C4	-	9 pcs.	003/006/033/063/064	437	NEW		
WKH 405-Capto C5	-	9 pcs.	003/006/033/063/064	438	NEW		
WKH 405-Capto C6	-	9 pcs.	003/006/033/063/064	439	NEW		
WKH 405-Capto C8	-	9 pcs.	003/006/033/063/064	411			
WKH 405-VDI20	-	9 pcs.	003/006/033/063/064	440	NEW		
WKH 405-VDI25	-	9 pcs.	003/006/033/063/064	441	NEW		
WKH 405-VDI30	-	9 pcs.	003/006/033/063/064	442	NEW		
WKH 405-VDI40	-	9 pcs.	003/006/033/063/064	443	NEW		
WKH 405-VDI50	-	9 pcs.	003/006/033/063/064	444	NEW		
WKH 405-VDI60	-	9 pcs.	003/006/033/063/064	410			
WKH 405-ABS50	-	9 pcs.	003/006/033/063/064	445	NEW		
WKH 405-ABS63	-	9 pcs.	003/006/033/063/064	446	NEW		
WKH 405-ABS80	-	9 pcs.	003/006/033/063/064	447	NEW		
WKH 405-UTS63	-	9 pcs.	003/006/033/063/064	448	NEW		
WKH 405-UTS80	-	9 pcs.	003/006/033/063/064	449	NEW		
WKH 405-173-E	-	9 pcs.	003/006/033/063/064	450	NEW		
WKH 406-HSK40	-	20 pcs.	003/006/033/063/064	415	NEW		
WKH 406-HSK50	-	20 pcs.	003/006/033/063/064	416	NEW		
WKH 406-HSK63	-	20 pcs.	003/006/033/063/064	402			
WKH 406-HSK63-F	-	20 pcs.	003/006/033/063/064	417	NEW		
WKH 406-ST30	-	20 pcs.	003/006/033/063/064	418	NEW		
WKH 406-ST40	-	20 pcs.	003/006/033/063/064	401			
WKH 406-Capto C3	-	20 pcs.	003/006/033/063/064	419	NEW		
WKH 406-Capto C4	-	20 pcs.	003/006/033/063/064	420	NEW		
WKH 406-Capto C5	-	20 pcs.	003/006/033/063/064	404			
WKH 406-Capto C6	-	20 pcs.	003/006/033/063/064	405			
WKH 406-VDI20 pcs.	-	20 pcs.	003/006/033/063/064	421	NEW		
WKH 406-VDI25	-	20 pcs.	003/006/033/063/064	422	NEW		
WKH 406-VDI30	-	20 pcs.	003/006/033/063/064	412			
WKH 406-VDI40	-	20 pcs.	003/006/033/063/064	403			
WKH 406-VDI50	-	20 pcs.	003/006/033/063/064	423	NEW		
WKH 406-ABS50	-	20 pcs.	003/006/033/063/064	424	NEW		
WKH 406-ABS63	-	20 pcs.	003/006/033/063/064	425	NEW		
WKH 406-ABS80	-	20 pcs.	003/006/033/063/064	426	NEW		
WKH 406-UTS63	-	20 pcs.	003/006/033/063/064	427	NEW		
WKH 406-173-E	-	20 pcs.	003/006/033/063/064	428	NEW		
WKH 504-H30	tool compartment for compartment dividers	height 30 mm slots/holes	003/006	406			
WKH 505-H49	tool compartment for compartment dividers	height 49 mm slots/holes	003/006	407			
ELP 6051-WKH	insertion plate for WKH 504/505 for compartment dividers	slots/holes	003/006	413			
WKH 702-GR7	shelf for storage bins	10 pcs. size 7	003/006	414			
TRB 502-WKH	divider for WKH 502/504	width 180 mm height 30 mm	001/002/003/006				307
TRB 505-WKH	divider for WKH 505/506	width 180 mm height 45 mm	001/002/003/006				308

83985

Tool holders and accessories for tool cabinets with vertical drawers

Type


Usable length 910 mm, for drawer 300 mm.

Application

For heaviest tools. For tool cabinets with vertical drawers cat.-no. 83980-83982.

83985 401-426

83985 503



Model	Application	Usage	suitable for Modell WKS	83985	...
WKH 918-HSK40	-	10 pcs.	004/024	401	NEU
WKH 918-HSK50	-	10 pcs.	004/024	402	NEU
WKH 918-HSK63	-	10 pcs.	004/024	403	NEU
WKH 918-HSK63-F	-	10 pcs.	004/024	404	NEU
WKH 918-HSK80	-	10 pcs.	004/024	405	NEU
WKH 918-HSK10 pcs.0	-	10 pcs.	004/024	406	NEU
WKH 918-SK30	-	10 pcs.	004/024	407	NEU
WKH 918-SK40	-	10 pcs.	004/024	408	NEU
WKH 918-SK50	-	10 pcs.	004/024	409	NEU
WKH 918-C3	-	10 pcs.	004/024	410	NEU
WKH 918-C4	-	10 pcs.	004/024	411	NEU
WKH 918-C5	-	10 pcs.	004/024	412	NEU
WKH 918-C6	-	10 pcs.	004/024	413	NEU
WKH 918-C8	-	10 pcs.	004/024	414	NEU
WKH 918-VDI20	-	10 pcs.	004/024	415	NEU
WKH 918-VDI25	-	10 pcs.	004/024	416	NEU
WKH 918-VDI30	-	10 pcs.	004/024	417	NEU
WKH 918-VDI40	-	10 pcs.	004/024	418	NEU
WKH 918-VDI50	-	10 pcs.	004/024	419	NEU
WKH 918-VDI60	-	10 pcs.	004/024	420	NEU
WKH 918-ABS50	-	10 pcs.	004/024	421	NEU
WKH 918-ABS63	-	10 pcs.	004/024	422	NEU
WKH 918-ABS80	-	10 pcs.	004/024	423	NEU
WKH 918-UTS63	-	10 pcs.	004/024	424	NEU
WKH 918-UTS80	-	10 pcs.	004/024	425	NEU
WKH 918-173E	-	10 pcs.	004/024	426	NEU
WKH 901-H49	tool compartment for compartment dividers	height 49 mm slots/holes	004	501	
WKH 903-H30	tool compartment for compartment dividers	height 30 mm slots/holes	004	502	
WKH 905	tool compartment for heavy loads	width 300 mm open on one side	004	503	
ELP 9021-WKH	insertion plate for WKH 901/903	width 300 mm slots/holes	004	504	
TRB 901-H49	divider for WKH 901/902	width 300 mm height 49 mm	004	505	
TRB 903-H30	divider for WKH 903/904	width 300 mm height 30 mm	004	506	

**Hommel Hercules**  
**Werkzeughandel**  
**Workshop furnishings**  
 Everything from one source.  
 We customize your workshop  
 using CAD technology.  
**Need some advice?**  
 Contact us: [betriebseinrichtung@hhw.de](mailto:betriebseinrichtung@hhw.de)

• CNC storage system

83986

Tool holders and accessories for tool cabinets with vertical drawers

Type

Usable length 1160 mm, for drawer 300 mm.

Application

For heaviest tools. For tool cabinets with vertical drawers cat.-no. 83980-83982.

83986 401-426

83986 602



Model	Application	Usage	suitable for Modell WKS	83986	...	83985	...
WKH 919-HSK40	-	14 pcs.	005/064	401	NEW		
WKH 919-HSK50	-	14 pcs.	005/064	402	NEW		
WKH 919-HSK63	-	14 pcs.	005/064	403	NEW		
WKH 919-HSK63-F	-	14 pcs.	005/064	404	NEW		
WKH 919-HSK80	-	14 pcs.	005/064	405	NEW		
WKH 919-HSK100	-	14 pcs.	005/064	406	NEW		
WKH 919-SK30	-	14 pcs.	005/064	407	NEW		
WKH 919-SK40	-	14 pcs.	005/064	408	NEW		
WKH 919-SK50	-	14 pcs.	005/064	409	NEW		
WKH 919-C3	-	14 pcs.	005/064	410	NEW		
WKH 919-C4	-	14 pcs.	005/064	411	NEW		
WKH 919-C5	-	14 pcs.	005/064	412	NEW		
WKH 919-C6	-	14 pcs.	005/064	413	NEW		
WKH 919-C8	-	14 pcs.	005/064	414	NEW		
WKH 919-VDI20	-	14 pcs.	005/064	415	NEW		
WKH 919-VDI25	-	14 pcs.	005/064	416	NEW		
WKH 919-VDI30	-	14 pcs.	005/064	417	NEW		
WKH 919-VDI40	-	14 pcs.	005/064	418	NEW		
WKH 919-VDI50	-	14 pcs.	005/064	419	NEW		
WKH 919-VDI60	-	14 pcs.	005/064	420	NEW		
WKH 919-ABS50	-	14 pcs.	005/064	421	NEW		
WKH 919-ABS63	-	14 pcs.	005/064	422	NEW		
WKH 919-ABS80	-	14 pcs.	005/064	423	NEW		
WKH 919-UTS63	-	14 pcs.	005/064	424	NEW		
WKH 919-UTS80	-	14 pcs.	005/064	425	NEW		
WKH 919-173E	-	14 pcs.	005/064	426	NEW		
WKH 902-H49	tool compartment for compartment dividers	height 49 mm slots/holes	005/009	601			
WKH 904-H30	tool compartment for compartment dividers	height 30 mm slots/holes	005/009	602			
WKH 906	tool compartment for heavy loads	width 300 mm open on one side	005/009	603			
ELP 9041-WKH	insertion plate for WKH 902/904	slots/holes	005/009	604			
TRB 901-H49	divider for WKH 901/902	width 300 mm height 49 mm	004/005/008/009				505
TRB 903-H30	divider for WKH 903/904	width 300 mm height 30 mm	004/005/008/009				506



S. 83.21      S. 85.1  
**Hommel Hercules**  
*Werkzeughandel*  
S. 82.12      S. 53.6  
S. 82.9

## Workshop furnishings

Everything from one source.  
 We customize your workshop  
 using CAD technology.

**Need some advice?**  
 Contact us: [betriebseinrichtung@hbw.de](mailto:betriebseinrichtung@hbw.de)



### 83990 - 83991

### Tool carts and top part (empty)

83990

**Tool Carts**

**Type**

Housing RAL 7035 light grey, assembled, incl. of 1 one-sided drawer RAL 5012 light blue, 1 x stainless steel handle, 2 x steering wheels Ø 125 mm, braked, 2 x support rollers Ø 125 mm, 1 x shelf perforated (galvanised), 1 x rubber cover grooved. Not included: tool exchange frame and tools.

83991


**Support**

**Application**

For tool carts (83990 101) or workbench for mounting 4 tool exchange frames with 10 inserts each for HSK40, HSK63, SK30, SK40, VDI20, VDI30, VDI40 or Capto 5, Capto 6 and/or 6 inserts each for HSK100, SK50, VDI60 or Capto 8. Not included: tool exchange frame and tools.

83990

83991



Model	Dimensions H x W x D mm	tool carts		top part	
		83990	...	83991	...
WSW 580	900 x 580 x 950		101		
AWW 580	-				201

### 83992

### Accessories for tool carts and top part cat.-no. 83990 - 83991

**Type**

Galvanised. Plastic inserts KBA 56 with hook included.

**Application**



For tool carts (cat.-no. 83990 101) and top part (cat.-no. 83991 201).

83992 501-506

83992 507-509

83992 527-532

83992 533-535



Model	Usage pcs.	83992	...
WWR 810-HSK40	10	501	
WWR 810-HSK50	10	502	
WWR 810-HSK63	10	503	
WWR 810-HSK63-F	10	504	
WWR 810-HSK80	6	505	
WWR 810-HSK100	6	506	
WWR 810-ST30	10	507	
WWR 810-ST40	10	508	
WWR 810-ST50	6	509	
WWR 810-Capto C3	10	510	
WWR 810-Capto C4	10	511	
WWR 810-Capto C5	10	512	
WWR 810-Capto C6	10	513	
WWR 810-Capto C8	6	514	
WWR 810-VDI20	10	515	
WWR 810-VDI25	10	516	
WWR 810-VDI30	10	517	
WWR 810-VDI40	10	518	
WWR 810-VDI50	10	519	
WWR 810-VDI60	6	520	
WWR 810-ABS50	10	521	
WWR 810-ABS63	10	522	
WWR 810-ABS80	10	523	
WWR 810-UTS63	10	524	
WWR 810-UTS80	6	525	
WWR 810-173-E	10	526	

Model	Usage pcs.	83992	...
WDR 810-HSK40	20	527	
WDR 810-HSK50	20	528	
WDR 810-HSK63	20	529	
WDR 810-HSK63-F	20	530	
WDR 810-HSK80	12	531	
WDR 810-HSK100	12	532	
WDR 810-ST30	20	533	
WDR 810-ST40	20	534	
WDR 810-ST50	12	535	
WDR 810-Capto C3	20	536	
WDR 810-Capto C4	20	537	
WDR 810-Capto C5	20	538	
WDR 810-Capto C6	20	539	
WDR 810-Capto C8	12	540	
WDR 810-VDI20	20	541	
WDR 810-VDI25	20	542	
WDR 810-VDI30	20	543	
WDR 810-VDI40	20	544	
WDR 810-VDI50	20	545	
WDR 810-VDI60	12	546	
WDR 810-ABS50	20	547	
WDR 810-ABS63	20	548	
WDR 810-ABS80	20	549	
WDR 810-UTS63	20	550	
WDR 810-UTS80	12	551	
WDR 810-173-E	20	552	

• Mobile cabinet • Kanban shelving unit • AQURADO storage system

**83993** Mobile cabinet and accessories

83993 101

**Mobile cabinet**

**Type**

Made of galvanised sheet steel, visible surface RAL 5012 light blue. Incl. of 2 stainless steel handle and 4 support rollers without break.

**Note:**

Also available with H 1250 x W 773 x D 1100 mm. Accessories (door, shelf, wheel guidings) see cat.-no. 83993 102-104.

83993 102

**Door**

**Type**

Two-part, made of galvanised sheet steel, RAL 7035 light grey. Incl. of snap closures and lock on one side of the mobile cabinet.

**Application**

For mobile cabinets cat.-no. 83993 101.

83993 103

**Storage shelf**

**Type**

Galvanised. Incl. of support bracket set, for hanging or fastening with screws.

**Application**

Can be used as tray when turned over. For mobile cabinets cat.-no. 83993 101.

83993 104

**Wheel guiding rail**

**Type**

Made of galvanised sheet steel 1,5 mm.

**Application**

For support rollers, distance between wheels 81 mm. For mounting on the floor. For mobile cabinets cat.-no. 83993 101.

83993 101



83993 104



83993 103



Model	type	Dimensions H x W x D mm	83993	...
RSW 773	Mobile cabinet	1900 x 773 x 1100		101
RAT 773	Door	-		102
RFB 773	Shelf	31,5 x 730/700 x 1058		103
RRF 773	Wheel guiding rail	-		104

**83995** Kanban shelving unit

83995 101-103

**Type**

Customised components for kanban-controlled logistics.

The shelves can be mounted every 50 mm and can be inclined in different angles. All models have four smooth-running steering wheels with stop lock and therefore can be moved around and fixated in a certain spot with ease.

**Application**

These articles have been especially designed for series production. You can choose the necessary components in accordance to size, attachments, placement, flow of materials, etc. and therefore customise your own storage system and make use of this highly efficient logistics concept.

**Note:**

Suitable plastic containers see cat.-no. 83401-83405 and 83350.

Additional shelf see cat.-no. 83995 201-203.

83995 201-203

**Additional shelves**

**Application**

For kanban shelving units, cat.-no. 83995 101-103.

**NEW**

83995 101

83995 102

83995 103



Model	type	Dimensions H x W x D mm	number of Shelf	83995	...
KRS 4500	shelving unit	1952 x 512 x 772	5		101
KRS 6500	shelving unit	1952 x 712 x 772	5		102
KRS 8500	shelving unit	1952 x 917 x 772	5		103
KRB 4900	additional shelf	28 x 440 x 910	1		201
KRB 6900	additional shelf	28 x 640 x 910	1		202
KRB 8900	additional shelf	28 x 845 x 910	1		203